

# 2010 **Maryland**





## Introduction

Where we live matters to our health. The health of a community depends on many different factors, including quality of health care, individual behavior, education and jobs, and the environment. We can improve a community's health through programs and policies. For example, people who live in communities with ample park and recreation space are more likely to exercise. which reduces heart disease risk. People who live in communities with smoke-free laws are less likely to smoke or to be exposed to second-hand smoke, which reduces lung cancer risk.

The problem is that there are big differences in health across communities, with some places being much healthier than others. And up to now, it has been hard to get a standard way to measure how healthy a county is and see where they can improve.

The Robert Wood Johnson Foundation and the University of Wisconsin Population Health Institute are pleased to present the 2010 County Health Rankings, a collection of 50 reports that reflect the overall health of counties in every state across the country. For the first time, counties can get a snapshot of how healthy their residents are by comparing their overall health and the factors that influence their health, with other counties in their state. This will allow them to see county-to-county where they are doing well and where they need to improve. Everyone has a stake in community health. We all need to work together to find solutions. The County Health Rankings serve as both a call to action and a needed tool in this effort.

All of the County Health Rankings are based upon this model of population health improvement:



In this model, health outcomes are measures that describe the current health status of a county. These health outcomes are influenced by a set of health factors. These health factors and their outcomes may also be affected by community-based programs and policies designed to alter their distribution in the community. Counties can improve health outcomes by addressing all health factors with effective, evidence-based programs and policies.




Institute of Medicine, 2002

To compile the Rankings, we built on our prior work in Wisconsin, worked closely with staff from the Centers for Disease Control and Prevention and Dartmouth College, and obtained input from a team of expert advisors. Together we selected a number of population health measures based on scientific relevance, importance, and availability of data at the county level. For a more detailed explanation of the choice of measures, see www.countyhealthrankings.org.

## **The Rankings**

This report ranks Maryland counties according to their summary measures of **health outcomes** and **health factors**, as well as the components used to create each summary measure. The figure below depicts the structure of the *Rankings* model. Counties receive a rank for each population health component; those having high ranks (e.g., 1 or 2) are estimated to be the "healthiest."

Our summary **health outcomes** rankings are based on an equal weighting of mortality and morbidity measures. The summary **health factors** rankings are based on weighted scores of four types of factors: behavioral, clinical, social and economic, and environmental. The weights for the factors (shown in parentheses in the figure) are based upon a review of the literature and expert input but represent just one way of combining these factors.




County Health Rankings model ©2010 UWPHI


The maps on this page display Maryland's counties divided into groups by health rank. The lighter colors indicate better performance in the respective summary rankings. The green map shows the distribution of summary health outcomes. The blue displays the distribution of the summary rank for health factors.

Maps help locate the healthiest and least healthy counties in the state. The health factors map appears similar to the health outcomes map, showing how health factors and health outcomes are closely related.

### **HEALTH OUTCOMES**



## **HEALTH FACTORS**



# **Summary Health Outcomes & Health Factors Rankings**

Counties receive two summary ranks:

- Health Outcomes
- Health Factors

Each of these ranks represents a weighted summary of a number of measures.

Health outcomes represent how healthy a county is while health factors are what influences the health of the county.

Rank	Health Outcomes	Rank	Health Factors
1	Howard	1	Howard
2	Montgomery	2	Montgomery
3	Frederick	3	Carroll
4	Queen Anne's	4	Frederick
5	Carroll	5	Harford
6	Talbot	6	Talbot
7	Calvert	7	Queen Anne's
8	St. Mary's	8	Calvert
9	Harford	9	Anne Arundel
10	Worcester	10	Baltimore
11	Anne Arundel	11	Charles
12	Charles	12	St. Mary's
13	Washington	13	Garrett
14	Garrett	14	Prince George's
15	Baltimore	15	Washington
16	Kent	16	Kent
17	Prince George's	17	Wicomico
18	Cecil	18	Worcester
19	Wicomico	19	Cecil
20	Caroline	20	Allegany
21	Allegany	21	Caroline
22	Dorchester	22	Dorchester
23	Somerset	23	Somerset
24	Baltimore City	24	Baltimore City

# **Health Outcomes Rankings**

The summary health outcomes ranking is based on measures of mortality and morbidity. Each county's ranks for mortality and morbidity are displayed here. The mortality rank, representing length of life, is based on a measure of premature death: the years of potential life lost prior to age 75.

The morbidity rank is based on measures that represent health-related quality of life and birth outcomes. We combine four morbidity measures: self-reported fair or poor health, poor physical health days, poor mental health days, and the percent of births with low birthweight.

Rank	Mortality	Morbidity
1	Howard	Howard
2	Montgomery	Montgomery
3	Frederick	Queen Anne's
4	Carroll	Calvert
5	Queen Anne's	Frederick
6	St. Mary's	Talbot
7	Harford	Worcester
8	Talbot	Carroll
9	Garrett	St. Mary's
10	Calvert	Charles
11	Anne Arundel	Anne Arundel
12	Washington	Harford
13	Kent	Washington
14	Charles	Prince George's
15	Baltimore	Baltimore
16	Worcester	Wicomico
17	Allegany	Garrett
18	Caroline	Dorchester
19	Cecil	Cecil
20	Prince George's	Kent
21	Somerset	Caroline
22	Wicomico	Allegany
23	Dorchester	Somerset
24	Baltimore City	Baltimore City

## **Health Factors Rankings**

The summary health factors ranking is based on four factors: health behaviors, clinical care, social and economic, and physical environment factors. In turn, each of these factors is based on several measures. Health behaviors include measures of smoking, diet and exercise, alcohol use, and risky sex behavior. Clinical

care includes measures of access to care and quality of care. Social and economic factors include measures of education, employment, income, family and social support, and community safety. The physical environment includes measures of environmental quality and the built environment.

Rank	Health Behaviors	Clinical Care	Social & Economic Factors	Physical Environment
1	Montgomery	Howard	Howard	Howard
2	Howard	Montgomery	Montgomery	Wicomico
3	Talbot	Baltimore	Frederick	Carroll
4	Carroll	Anne Arundel	Carroll	Dorchester
5	Queen Anne's	Carroll	Calvert	Montgomery
6	Frederick	Harford	Harford	Garrett
7	Anne Arundel	Frederick	Charles	Somerset
8	Garrett	Baltimore City	Anne Arundel	Allegany
9	Harford	Talbot	Queen Anne's	Queen Anne's
10	Baltimore	Washington	St. Mary's	Caroline
11	Calvert	Calvert	Talbot	Calvert
12	Prince George's	Queen Anne's	Baltimore	Worcester
13	Worcester	Wicomico	Cecil	St. Mary's
14	Kent	Charles	Garrett	Washington
15	St. Mary's	St. Mary's	Kent	Talbot
16	Washington	Kent	Prince George's	Frederick
17	Wicomico	Worcester	Washington	Harford
18	Allegany	Cecil	Allegany	Prince George's
19	Charles	Garrett	Caroline	Baltimore
20	Cecil	Dorchester	Wicomico	Charles
21	Caroline	Prince George's	Worcester	Anne Arundel
22	Dorchester	Caroline	Dorchester	Kent
23	Baltimore City	Somerset	Somerset	Cecil
24	Somerset	Allegany	Baltimore City	Baltimore City

# 2010 County Health Rankings: Measures, Data Sources, and Years of Data

	Measure	Data Source	Years of Data
HEALTH OUTCOMES	S		
Mortality	Premature death	National Center for Health Statistics	2004-2006
Morbidity	Poor or fair health	Behavioral Risk Factor Surveillance System	2002-2008
	Poor physical health days	Behavioral Risk Factor Surveillance System	2002-2008
	Poor mental health days	Behavioral Risk Factor Surveillance System	2002-2008
	Low birthweight	National Center for Health Statistics	2000-2006
HEALTH FACTORS			
HEALTH BEHAVIORS			
Tobacco	Adult smoking	Behavioral Risk Factor Surveillance System	2002-2008
Diet and Exercise	Adult obesity	National Center for Chronic Disease Prevention and Health Promotion	2006-2008
Alcohol Use	Binge drinking	Behavioral Risk Factor Surveillance System	2002-2008
	Motor vehicle crash death rate	National Center for Health Statistics	2000-2006
High Risk Sexual	Chlamydia rate	National Center for Health Statistics	2007
Behavior	Teen birth rate	National Center for Health Statistics	2000-2006
CLINICAL CARE			
Access to Care	Uninsured adults	Small Area Health Insurance Estimates, U.S. Census	2005
	Primary care provider rate	Health Resources & Services Administration	2006
Quality of Care	Preventable hospital stays	Medicare/Dartmouth Institute	2005-2006
	Diabetic screening	Medicare/Dartmouth Institute	2003-2006
	Hospice use	Medicare/Dartmouth Institute	2001-2005
SOCIOECONOMIC FAC	CTORS		
Education	High school graduation	National Center for Education Statistics <sup>1</sup>	2005-2006
	College degrees	U.S. Census/American Community Survey	2000/2005-2007
Employment	Unemployment	Bureau of Labor Statistics	2008
Income	Children in poverty	Small Area Income and Poverty Estimates, U.S. Census	2007
	Income inequality	U.S. Census/American Community Survey <sup>2</sup>	2000/2005-2007
Family and Social Support	Inadequate social support	Behavioral Risk Factor Surveillance System	2005-2008
	Single-parent households	U.S. Census/American Community Survey	2000/2005-2007
Community Safety	Violent crime <sup>3</sup>	Uniform Crime Reporting, Federal Bureau of Investigation	2005-2007
PHYSICAL ENVIRONM	ENT		
Air Quality⁴	Air pollution-particulate matter days	U.S. Environmental Protection Agency / Centers for Disease Control and Prevention	2005
	Air pollution-ozone days	U.S. Environmental Protection Agency / Centers for Disease Control and Prevention	2005
Built Environment	Access to healthy foods	Census Zip Code Business Patterns	2006
	Liquor store density	Census County Business Patterns	2006

State data sources for KY, NH, NC, PA, SC, and UT (2007-2008).
Income inequality estimates for 2000 were calculated by Mark L. Burkey, North Carolina Agricultural & Technical State University, www.ncat.edu/~burkeym/Gini.htm.

<sup>&</sup>lt;sup>3</sup> Homicide rate (2000-2006) from National Center for Health Statistics for AK, AZ, AR, CO, CT, GA, ID, IN, IA, KS, KY, LA, MN, MS, MT, NE, NH, NM, NC, ND, OH, SD, UT, and WV. State data source for IL.

<sup>&</sup>lt;sup>4</sup> Not available for AK and HI.

#### **CREDITS**

#### Report Editors

University of Wisconsin-Madison School of Medicine and Public Health Population Health Institute Bridget Booske, PhD, MHSA Jessica Athens, MS Patrick Remington, MD, MPH

This publication would not have been possible without the following contributions:

#### Conceptual Development

David Kindig, MD, PhD Paul Peppard, PhD Patrick Remington, MD, MPH

#### **Technical Advisors**

Amy Bernstein, ScD, Centers for Disease Control and Prevention Michele Bohm, MPH, Centers for Disease Control and Prevention Vickie Boothe, MPH, Centers for Disease Control and Prevention Ethan Burke, MD, MPH, Dartmouth Institute for Health Policy and Clinical Practice

#### Research Assistance

Clare O'Connor Karen Odegaard Hyojun Park Matthew Rodock

#### **Production and Editing**

Chuck Alexander Alex Field Joan Fischer Irene Golembiewski Jennifer Robinson

#### Design

Forum One, Alexandria, VA Media Solutions, UW School of Medicine and Public Health

#### **Metrics Advisory Group**

Yukiko Asada, PhD, Associate Professor, Community Health and Epidemiology, Dalhousie University, Halifax, Nova Scotia Tom Eckstein, MBA, Principal, Arundel Street Consulting Inc, St. Paul, MN

Elliott Fisher, MD, MPH, Director, Center for Population Health, Dartmouth Institute for Health Policy and Clinical Practice, and Professor of Medicine and Community and Family Medicine, Dartmouth Medical School, Lebanon, NH

Howard Frumkin, MD, MPH, Dr. PH, Director of the National Center for Environmental Health, ATSDR, CDC, Atlanta, GA Thomas Kottke, MD, MSPH, Medical Director for Evidence-Based Health, HealthPartners, Minneapolis, MN

Ali Mokdad, PhD, Professor of Global Health, Institute for Health Metrics and Evaluation, University of Washington, Seattle, WA Roy Gibson Parrish, MD, Consultant in Population Health Information Systems, Peacham, VT

Robert M. (Bobby) Pestronk, MPH, Executive Director, National Association of County and City Health Officials (NACCHO), Washington, DC

Tom Ricketts, PhD, Professor of Health Policy and Administration, University of North Carolina Steven Teutsch, MD, MPH, Chief Science Officer, Los Angeles County Public Health, Los Angeles, CA Julie Willems Van Dijk, PhD, RN, former Marathon County, WI Health Officer

Suggested citation: University of Wisconsin Population Health Institute. County Health Rankings 2010.



