



# County Health Rankings

Mobilizing Action Toward Community Health

2010

**New Jersey**



Robert Wood Johnson Foundation



UNIVERSITY OF WISCONSIN

**Population Health Institute**

*Translating Research into Policy and Practice*




## Introduction

Where we live matters to our health. The health of a community depends on many different factors, including quality of health care, individual behavior, education and jobs, and the environment. We can improve a community's health through programs and policies. For example, people who live in communities with ample park and recreation space are more likely to exercise, which reduces heart disease risk. People who live in communities with smoke-free laws are less likely to smoke or to be exposed to second-hand smoke, which reduces lung cancer risk.


The problem is that there are big differences in health across communities, with some places being much healthier than others. And up to now, it has been hard to get a standard way to measure how healthy a county is and see where they can improve.

The Robert Wood Johnson Foundation and the University of Wisconsin Population Health Institute are pleased to present the 2010 *County Health Rankings*, a collection of 50 reports that reflect the overall health of counties in every state across the country. For the first time, counties can get a snapshot of how healthy their residents are by comparing their overall health and the factors that influence their health, with other counties in their state. This will allow them to see county-to-county where they are doing well and where they need to improve. Everyone has a stake in community health. We all need to work together to find solutions. The *County Health Rankings* serve as both a call to action and a needed tool in this effort.

All of the *County Health Rankings* are based upon this model of population health improvement:



In this model, health outcomes are measures that describe the current health status of a county. These health outcomes are influenced by a set of health factors. These health factors and their outcomes may also be affected by community-based programs and policies designed to alter their distribution in the community. Counties can improve health outcomes by addressing all health factors with effective, evidence-based programs and policies.




Institute of Medicine, 2002

To compile the *Rankings*, we built on our prior work in Wisconsin, worked closely with staff from the Centers for Disease Control and Prevention and Dartmouth College, and obtained input from a team of expert advisors. Together we selected a number of population health measures based on scientific relevance, importance, and availability of data at the county level. For a more detailed explanation of the choice of measures, see [www.countyhealthrankings.org](http://www.countyhealthrankings.org).

## The Rankings

This report ranks New Jersey counties according to their summary measures of **health outcomes** and **health factors**, as well as the components used to create each summary measure. The figure below depicts the structure of the *Rankings* model. Counties receive a rank for each population health component; those having high ranks (e.g., 1 or 2) are estimated to be the “healthiest.”

Our summary **health outcomes** rankings are based on an equal weighting of mortality and morbidity measures. The summary **health factors** rankings are based on weighted scores of four types of factors: behavioral, clinical, social and economic, and environmental. The weights for the factors (shown in parentheses in the figure) are based upon a review of the literature and expert input but represent just one way of combining these factors.




County Health Rankings model ©2010 UWPHI

The maps on this page display New Jersey's counties divided into groups by health rank. The lighter colors indicate better performance in the respective summary rankings. The green map shows the distribution of summary health outcomes. The blue displays the distribution of the summary rank for health factors.


Maps help locate the healthiest and least healthy counties in the state. The health factors map appears similar to the health outcomes map, showing how health factors and health outcomes are closely related.

### HEALTH OUTCOMES



Rank 1-5   Rank 6-10   Rank 11-16   Rank 17-21

### HEALTH FACTORS



Rank 1-5   Rank 6-10   Rank 11-16   Rank 17-21

## Summary Health Outcomes & Health Factors Rankings

Counties receive two summary ranks:

- Health Outcomes
- Health Factors

Each of these ranks represents a weighted summary of a number of measures.

Health outcomes represent how healthy a county is while health factors are what influences the health of the county.

Rank	Health Outcomes	Rank	Health Factors
1	Hunterdon	1	Hunterdon
2	Morris	2	Somerset
3	Somerset	3	Morris
4	Bergen	4	Bergen
5	Sussex	5	Monmouth
6	Monmouth	6	Burlington
7	Middlesex	7	Middlesex
8	Burlington	8	Sussex
9	Warren	9	Mercer
10	Ocean	10	Warren
11	Union	11	Gloucester
12	Mercer	12	Union
13	Gloucester	13	Ocean
14	Hudson	14	Cape May
15	Passaic	15	Salem
16	Cape May	16	Camden
17	Salem	17	Passaic
18	Atlantic	18	Essex
19	Camden	19	Atlantic
20	Essex	20	Hudson
21	Cumberland	21	Cumberland

## Health Outcomes Rankings

The summary health outcomes ranking is based on measures of mortality and morbidity. Each county's ranks for mortality and morbidity are displayed here. The mortality rank, representing length of life, is based on a measure of premature death: the years of potential life lost prior to age 75.

The morbidity rank is based on measures that represent health-related quality of life and birth outcomes. We combine four morbidity measures: self-reported fair or poor health, poor physical health days, poor mental health days, and the percent of births with low birthweight.

Rank	Mortality	Morbidity
1	Hunterdon	Hunterdon
2	Morris	Morris
3	Somerset	Somerset
4	Bergen	Sussex
5	Middlesex	Bergen
6	Sussex	Monmouth
7	Monmouth	Middlesex
8	Warren	Cape May
9	Burlington	Burlington
10	Union	Ocean
11	Ocean	Warren
12	Mercer	Union
13	Passaic	Mercer
14	Hudson	Gloucester
15	Gloucester	Salem
16	Camden	Atlantic
17	Atlantic	Hudson
18	Cape May	Passaic
19	Essex	Essex
20	Salem	Cumberland
21	Cumberland	Camden

## Health Factors Rankings

The summary health factors ranking is based on four factors: health behaviors, clinical care, social and economic, and physical environment factors. In turn, each of these factors is based on several measures. Health behaviors include measures of smoking, diet and exercise, alcohol use, and risky sex behavior. Clinical

care includes measures of access to care and quality of care. Social and economic factors include measures of education, employment, income, family and social support, and community safety. The physical environment includes measures of environmental quality and the built environment.

Rank	Health Behaviors	Clinical Care	Social & Economic Factors	Physical Environment
1	Somerset	Hunterdon	Morris	Burlington
2	Hunterdon	Morris	Hunterdon	Somerset
3	Bergen	Somerset	Somerset	Gloucester
4	Morris	Monmouth	Sussex	Morris
5	Mercer	Burlington	Bergen	Salem
6	Monmouth	Bergen	Warren	Atlantic
7	Union	Mercer	Burlington	Ocean
8	Middlesex	Ocean	Middlesex	Sussex
9	Sussex	Middlesex	Monmouth	Bergen
10	Hudson	Camden	Gloucester	Warren
11	Passaic	Gloucester	Mercer	Cape May
12	Essex	Sussex	Ocean	Monmouth
13	Burlington	Warren	Union	Cumberland
14	Ocean	Union	Salem	Middlesex
15	Gloucester	Cumberland	Cape May	Mercer
16	Warren	Cape May	Camden	Union
17	Cape May	Passaic	Atlantic	Essex
18	Camden	Essex	Hudson	Passaic
19	Salem	Atlantic	Passaic	Hunterdon
20	Atlantic	Salem	Essex	Hudson
21	Cumberland	Hudson	Cumberland	Camden



## 2010 County Health Rankings: Measures, Data Sources, and Years of Data

	Measure	Data Source	Years of Data
<b>HEALTH OUTCOMES</b>			
<b>Mortality</b>	Premature death	National Center for Health Statistics	2004-2006
<b>Morbidity</b>	Poor or fair health	Behavioral Risk Factor Surveillance System	2002-2008
	Poor physical health days	Behavioral Risk Factor Surveillance System	2002-2008
	Poor mental health days	Behavioral Risk Factor Surveillance System	2002-2008
	Low birthweight	National Center for Health Statistics	2000-2006
<b>HEALTH FACTORS</b>			
<b>HEALTH BEHAVIORS</b>			
<b>Tobacco</b>	Adult smoking	Behavioral Risk Factor Surveillance System	2002-2008
<b>Diet and Exercise</b>	Adult obesity	National Center for Chronic Disease Prevention and Health Promotion	2006-2008
<b>Alcohol Use</b>	Binge drinking	Behavioral Risk Factor Surveillance System	2002-2008
	Motor vehicle crash death rate	National Center for Health Statistics	2000-2006
<b>High Risk Sexual Behavior</b>	Chlamydia rate	National Center for Health Statistics	2007
	Teen birth rate	National Center for Health Statistics	2000-2006
<b>CLINICAL CARE</b>			
<b>Access to Care</b>	Uninsured adults	Small Area Health Insurance Estimates, U.S. Census	2005
	Primary care provider rate	Health Resources & Services Administration	2006
<b>Quality of Care</b>	Preventable hospital stays	Medicare/Dartmouth Institute	2005-2006
	Diabetic screening	Medicare/Dartmouth Institute	2003-2006
	Hospice use	Medicare/Dartmouth Institute	2001-2005
<b>SOCIOECONOMIC FACTORS</b>			
<b>Education</b>	High school graduation	National Center for Education Statistics <sup>1</sup>	2005-2006
	College degrees	U.S. Census/American Community Survey	2000/2005-2007
<b>Employment</b>	Unemployment	Bureau of Labor Statistics	2008
<b>Income</b>	Children in poverty	Small Area Income and Poverty Estimates, U.S. Census	2007
	Income inequality	U.S. Census/American Community Survey <sup>2</sup>	2000/2005-2007
<b>Family and Social Support</b>	Inadequate social support	Behavioral Risk Factor Surveillance System	2005-2008
	Single-parent households	U.S. Census/American Community Survey	2000/2005-2007
<b>Community Safety</b>	Violent crime <sup>3</sup>	Uniform Crime Reporting, Federal Bureau of Investigation	2005-2007
<b>PHYSICAL ENVIRONMENT</b>			
<b>Air Quality<sup>4</sup></b>	Air pollution-particulate matter days	U.S. Environmental Protection Agency / Centers for Disease Control and Prevention	2005
	Air pollution-ozone days	U.S. Environmental Protection Agency / Centers for Disease Control and Prevention	2005
<b>Built Environment</b>	Access to healthy foods	Census Zip Code Business Patterns	2006
	Liquor store density	Census County Business Patterns	2006

<sup>1</sup> State data sources for KY, NH, NC, PA, SC, and UT (2007-2008).

<sup>2</sup> Income inequality estimates for 2000 were calculated by Mark L. Burkey, North Carolina Agricultural & Technical State University, [www.ncat.edu/~burkeym/Gini.htm](http://www.ncat.edu/~burkeym/Gini.htm).

<sup>3</sup> Homicide rate (2000-2006) from National Center for Health Statistics for AK, AZ, AR, CO, CT, GA, ID, IN, IA, KS, KY, LA, MN, MS, MT, NE, NH, NM, NC, ND, OH, SD, UT, and WV. State data source for IL.

<sup>4</sup> Not available for AK and HI.

## CREDITS

**Report Editors**

University of Wisconsin-Madison  
 School of Medicine and Public Health  
 Population Health Institute  
 Bridget Booske, PhD, MHSA  
 Jessica Athens, MS  
 Patrick Remington, MD, MPH

This publication would not have been possible without the following contributions:

**Conceptual Development**

David Kindig, MD, PhD  
 Paul Peppard, PhD  
 Patrick Remington, MD, MPH

**Technical Advisors**

Amy Bernstein, ScD, Centers for Disease Control and Prevention  
 Michele Bohm, MPH, Centers for Disease Control and Prevention  
 Vickie Boothe, MPH, Centers for Disease Control and Prevention  
 Ethan Burke, MD, MPH, Dartmouth Institute for Health Policy and Clinical Practice

**Research Assistance**

Clare O'Connor  
 Karen Odegaard  
 Hyojun Park  
 Matthew Rodock

**Production and Editing**

Chuck Alexander  
 Alex Field  
 Joan Fischer  
 Irene Golembiewski  
 Jennifer Robinson

**Design**

Forum One, Alexandria, VA  
 Media Solutions, UW School of Medicine and Public Health

**Metrics Advisory Group**

Yukiko Asada, PhD, Associate Professor, Community Health and Epidemiology, Dalhousie University, Halifax, Nova Scotia  
 Tom Eckstein, MBA, Principal, Arundel Street Consulting Inc, St. Paul, MN  
 Elliott Fisher, MD, MPH, Director, Center for Population Health, Dartmouth Institute for Health Policy and Clinical Practice, and  
 Professor of Medicine and Community and Family Medicine, Dartmouth Medical School, Lebanon, NH  
 Howard Frumkin, MD, MPH, Dr. PH, Director of the National Center for Environmental Health, ATSDR, CDC, Atlanta, GA  
 Thomas Kottke, MD, MSPH, Medical Director for Evidence-Based Health, HealthPartners, Minneapolis, MN  
 Ali Mokdad, PhD, Professor of Global Health, Institute for Health Metrics and Evaluation, University of Washington, Seattle, WA  
 Roy Gibson Parrish, MD, Consultant in Population Health Information Systems, Peacham, VT  
 Robert M. (Bobby) Pestronk, MPH, Executive Director, National Association of County and City Health Officials (NACCHO),  
 Washington, DC  
 Tom Ricketts, PhD, Professor of Health Policy and Administration, University of North Carolina  
 Steven Teutsch, MD, MPH, Chief Science Officer, Los Angeles County Public Health, Los Angeles, CA  
 Julie Willems Van Dijk, PhD, RN, former Marathon County, WI Health Officer

Suggested citation: University of Wisconsin Population Health Institute. *County Health Rankings 2010*.





# County Health Rankings

Mobilizing Action Toward Community Health

[countyhealthrankings.org](http://countyhealthrankings.org)

